Product datasheet



LEDFOG103 Silver

LEDriving FOG PL | - LED fog lights



Areas of application

- Daytime running light
- Fog light
- Suitable for 12 V hybrid cars and cars with start-stop-
- automatic

Product benefits

- 5 year guarantee
- Low energy consumption
- Lens resistant against gravel impact according to ASTM D256 and ISO 179
- Easy installation thanks to integrated control box

Product features

- LED fog light with daytime running light functionality
- Powerful fog light due to projection lens similar to lenses of xenon headlights
- Available colors: silver, gold, pink, orange, blue
- Color temperature: up to 6,000 K
- Long lifetime: up to 5,000 h
- Certified according to ECE, SAE, CCC regulations
- Type of protection: IP67K

Product datasheet

Technical data

Electrical data

Nominal voltage	12.0 V	
Nominal wattage	14/24 W	
Photometrical data		
Color temperature	6000 K	
Dimensions & weight		
Length	74.0 mm	
Product weight	1550.00 g	
Lifespan		
Lifespan Tc	5000 h	
Country specific categorizations		

Order reference LEDFOG103 SR 12

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899288898	LEDFOG103 Silver	Folding carton box 1	288 mm x 154 mm x 204 mm	9.05 dm³	1816.00 g
4052899288904	LEDFOG103 Silver	Shipping carton box 4	635 mm x 320 mm x 250 mm	50.80 dm³	8069.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For Guarantee see

www.osram.com/guarantee

Legal advice

ECE E6 approval ECE R19/R87 approval Product pending homologation in Spain

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.